

INSPIRED BY COMFORT

 **Dometic**
GROUP

FIELD CATERING EQUIPMENT

Proven
worldwide
with 100%
satisfaction



- Food Transport
- Field Refrigeration
- Meal Distribution

A FULL RANGE
FIELD CATERING EQUIPMENT



.....

Field Catering Equipment

Solutions for food transport,
field refrigeration and meal distribution

.....

Dometic
GROUP

Today’s global conflicts, coupled with the growing mobility needs of modern defence forces and humanitarian organisations, require highly mobile and durable support equipment to maintain a minimum standard of living and motivation in the field of operations. To meet these requirements Dometic has created a comprehensive range of field catering equipment for food transport, refrigeration and meal distribution.

Many field catering solutions from Dometic are based on heavy-duty, rotational moulded cabinets that provide superior insulation performance even in the most rigorous climatic conditions. The wide choice of insulated containers is complemented by high-performance compressor refrigerators and cooling containers.

Contact

.....

Internet:
www.dometic.lu
military@dometic.com

.....

www.waeco.com

The Dometic WAECO website is always worth a visit. That’s where you will find the complete product range, clearly set out and full of detail. Interesting news about our company and the latest special offers are included, and you can order all our catalogues online.



Introduction	4 – 5
Food transport	
Insulated transport containers	6 – 7
Insulated transport boxes	8 – 9
Field refrigeration	
Mobile compressor refrigerators and freezers	10 – 13
Compressor cooling container for vans	14 – 17
Meal distribution	
Insulated beverage dispensers	18 – 19
Insulated food containers	20 – 23
Special products	
Thermoelectric cooler and warmer cabinet	24
Insulated container with integrated cooking pot	25
Passive insulating boxes	26 – 27

Food transport

Insulated transport containers and boxes

With its tried and tested range of insulated transport containers and boxes, Dometic provides military and aid organisations worldwide with highly flexible and economical solutions for safe delivery of temperature sensitive products. Due to superior insulation, the cold chain is reliably maintained from the central warehouse to the local distribution points, or right to the field of operations.

Perfectly mobile, thanks to a four-wheel construction, Dometic SC containers are so well insulated that they can accommodate transport of fresh or frozen goods for up to two days by non-refrigerated trucks or plane. Dometic GB 35 C and GB 35 U are two medium-size transport boxes designed for easy handling on site.

Models available:

- **Dometic SC 400 – 430 litres**
- **Dometic SC 650 – 690 litres**
- **Dometic SC 1000 – 1038 litres**
- **Dometic GB 35 U – 136 litres, front door opening**
- **Dometic GB 35 C – 136 litres, top lid opening**

For more information and technical details refer to pages 6 – 9.



The Dometic range of field catering equipment is complemented by selected WAECO products, which have proven their reliability in catering use and other demanding professional applications where transport at the right temperature is the key to success:

WAECO CoolFreeze 850 VAN – 850-litre compressor cooling container for vans, **p. 14 – 17**

WAECO Cool-Ice – passive insulating boxes in eight sizes from 13 to 111 litres, **p. 26/27**

WAECO
by Dometic GROUP

WAECO is a proprietary brand of Dometic GROUP. The company behind can draw on 40 years of experience in mobile refrigeration, with satisfied customers all over the world.

Field refrigeration

Storage and transport

Dometic field refrigerators and freezers are designed for integration into containerised kitchens, shelters, barracks or tents to maintain temperature sensitive products in good and safe condition. They are also suitable for mobile use if dedicated batteries or electrical connections are made available on the transport vehicle.

Powerful compressor cooling, combined with a forced air ventilation system ensure perfect temperature distribution inside the cabinet. RF models are equipped with an automatic defrosting system for trouble-free and user-friendly operation. These models have a removable refrigeration system to guarantee low-cost replacement and repair.

Models available:

- **Dometic R 120 – 134 litres, refrigeration**
- **Dometic RF 400 Basic – 370 litres, refrigeration and deep-freezing**
- **Dometic RF 650 Basic – 612 litres, refrigeration and deep-freezing**
- **Dometic RF 1000 Basic – 920 litres, refrigeration and deep-freezing**

For more information and technical details refer to pages 12/13.

**Proven
worldwide
with 100%
satisfaction**

Meal distribution

Insulated beverage dispensers and food containers

Dometic insulated beverage dispensers are the technologically most advanced of their kind available in the market today. They keep beverages hot or cold for at least six hours. Gone are the days when you had to drink hot coffee or tea with a “plastic” taste and smell. The non-removable Stainless Steel inner liner ensures perfect quality and hygiene for undiminished enjoyment.

For safe and efficient meal distribution Dometic offers a large range of heavy-duty food containers. Due to their outstanding insulation performance these products are absolutely reliable, even in the most rigorous climatic conditions. They have been supplied to defence forces all over the world, with 100% satisfaction level.

All containers are portable and stackable for ease of use. Stainless steel inner liners or GN pans guarantee impeccable hygienic conditions without altering the taste and smell of the food contained.

Models available

- **Dometic GB 3 / GB 6T – insulated beverage dispensers, 11 litres / 23.5 litres**
- **Dometic GB 4 – insulated food container, 17 litres**
- **Dometic GB 7 / GB 7 Compact L – insulated food carriers for GN containers**
- **Dometic GB 18 / GB 24 – front door insulated food carriers for GN containers**
- **Dometic GB 24 PLUS – thermoelectric cooler and warmer cabinet for GN containers**
- **Dometic GB 10 – insulated food container with Stainless Steel cooking pot, 24 litres**

For more information and technical details refer to pages 18 – 25.



Insulated transport containers

Continuous cold chain for up to two days

A flexible and economical solution for fast delivery of fresh or frozen food: Dometic SC containers are so well insulated that they can keep temperature sensitive products in prime condition for up to two days during transport in non-refrigerated trucks or by plane. The reinforced four-wheel construction comprising two rotating and two regular wheels, all non-marking and fitted with a brake, ensures perfect mobility and convenient handling on site.

Practical extras: integrated handles, complete door opening with fixation bungee and DIN A5 document holder.

Dometic SC-400 / SC-650 / SC-1000

Insulated transport containers

	Gross capacity	430 litres	690 litres	1038 litres
	Autonomy*	up to 2 days		
	Material	Cabinet and door: HDPE (high density polyethylene) Metal parts: powder coated		
	Insulation	Polyurethane foam		
	External Dimensions (W x H x D, mm)	790 x 1405 x 965	880 x 1680 x 1090	1030 x 1680 x 1275
	Internal Dimensions (W x H x D, mm)	590 x 1019 x 715	660 x 1275 x 820	810 x 1275 x 1005
	Colours	Grey, NATO green available on request (MOQ 10 units)		
	Weight	90 kg	130 kg	160 kg
	Quality features	Mono-block construction of cabinet and door, removable gasket for superior insulation, non-marking wheels: 2 rotating and 2 regular with brakes, metal reinforcement structure to support wheels, front closing mechanism with locking system, full door opening with fixation bungee, DIN A5 document holder		

* with optional cold plates

New universal budget rack support system, for separations shelves (fits all SC and RF models)



Product	Ref. No.	Minimum order quantity
Dometic SC-400, grey	9105500263	1 unit
Dometic SC-400, NATO green	958.1114.02	10 units
Dometic SC-650, grey	9105500264	1 unit
Dometic SC-650, NATO green	958.1115.02	10 units
Dometic SC-1000, grey	9105500265	1 unit
Dometic SC-1000, NATO green	958.1116.02	10 units
Optional accessories	• Cold plate -3°C or -21°C & Stainless Steel support • Complete Stainless Steel support rack for shelves (kit to be assembled) • Budget rack support system (kit) • Stainless steel shelves (kit with 1 shelf and 2 fixation profiles) • Door lock & key	

Suitable for fresh and frozen products

Excellent insulation

Transport for up to 2 days without active cooling

4-wheel construction for perfect mobility



Insulated transport boxes

Total flexibility on site

Dometic GB 35 C and GB 35 U are two medium-size transport boxes designed for the transport and short-term storage of temperature sensitive goods. Due to their excellent insulation performance they maintain temperature of transported goods for at least six hours. And they are also ideal for slow defrosting of deep-frozen.

Two models, 136 litres in capacity each, are available. The top opening GB 35 C can also be used to store small kitchen utensils. Alternatively, it can be used as a general transport box. The front opening GB 35 U is compatible


with Gastronorm containers and 400 mm x 600 mm Euronorm plastic boxes. Both units can be fitted with transport wheels (optional) and units of the same model can be stacked on top of each other with the wheels removed.



Contents, specifications and availability are subject to change.

Dometic GB 35 U

Insulated transport box with front door opening



Gross capacity	136 litres
Autonomy	> 6 hours
Material	Cabinet and door: HDPE
Insulation	Polyurethane foam
External Dimensions (W x H x D)	565 x 710 x 775 mm with wheels 565 x 840 x 775 mm
Internal Dimensions (W x H x D)	430 x 500 x 610 mm
Weight	25 kg
Quality features	Mono-block construction of cabinet and door, removable food-grade silicone gasket for superior insulation, DIN A5 document holder, 10 integrated handles, stackable (without wheels), reinforced plastic closing latch, compatible with 400 x 600 mm Euronorm plastic containers, compatible with Gastronorm pans
Colours	grey, NATO green
Maximum loading of GN pans (with optional GN support)	3 x GN1/1 150 mm or 2 x GN1/2 200 mm or 4 x GN1/1 100 mm or 8 x GN1/1 50 mm

Product	Ref. No.	Minimum order quantity
Dometic GB 35 U, NATO green	9105500002	10 units
Dometic GB 35 UW (with wheels kit), NATO green	9105500186	10 units
Dometic GB 35 U, grey	9105500297	10 units
Dometic GB 35 UW (with wheels kit), grey	9105500326	10 units

Optional accessories

- Support for GN pans or 400 x 600 mm shelves or baker plates (max. 9 plates)
- Kit of non-marking wheels: 2 rotating with brakes and 2 regular



Autonomy
> 6 hours

Excellent insulation


Front loader

Prepared for use with 400 x 600 mm Euronorm boxes and GN containers

Stackable (without wheels)

Dometic GB 35 C

Insulated transport box with top lid opening



Gross capacity	136 litres
Autonomy	> 6 hours
Material	Cabinet and door: HDPE
Insulation	Polyurethane foam
External Dimensions (W x H x D)	710 x 775 x 565 mm with wheels 710 x 905 x 565 mm
Internal Dimensions (W x H x D)	500 x 610 x 430 mm
Weight	25 kg
Quality features	Mono-block construction of cabinet and lid, removable food-grade silicone gasket for superior insulation, DIN A5 document holder, 10 integrated handles, stackable (without wheels), reinforced plastic closing latch, Stainless Steel lid lid holder
Colours	NATO green and grey

Product	Ref. No.	Minimum order quantity
Dometic GB 35 C, NATO green	9105500013	10 units
Dometic GB 35 C, grey	9105500533	1 unit

Optional accessories

- Kit of non-marking wheels: 2 rotating with brakes and 2 regular



Autonomy
> 6 hours

Excellent insulation

Top loader

Stackable (without wheels)



Flexibility and economy of space: front door or chest configuration, stackable (without wheels)



R 120 – High-performance field/mobile refrigerator

DC/AC energy supply as standard

Fitted with a high-performance compressor the R 120 field refrigerator ensures a continuous cold chain at outside temperatures up to +43°C. The interior temperature is adjustable in a range from +2°C to +10°C and regulated by

an electronic system. Energy for cooling comes from the mains, or from a vehicle battery (cigarette lighter socket). A battery operated acoustic alarm signals if the power supply is interrupted.



Cooling and
deep-freezing



RF series: Field refrigerators/freezers


Great performance and ease of use

Dometic RF series field refrigerators and freezers provide reliable cold chain management in a temperature range from +12°C to –20°C at ambient temperatures up to +43°C. Ready for connection to 230 volts AC, they can also be run in the vehicle with a suitable sine wave inverter connected in-between, dual AC/DC versions can also be supplied. Three sizes are available – 370, 612 or 920 litres.

All RF series models are equipped with an automatic defrosting system for trouble-free and user-friendly operation. The refrigeration system can be removed to guarantee low-cost replacement and repair.

Dometic R 120

Mobile compressor powered field refrigerator




Gross capacity	134 litres
Voltage	12/24 volts DC, 110 – 230 volts AC
Nominal power	85 W
Temperature range	Interior temperature adjustable between +2°C and +10°C
Insulation	Polyurethane foam
System	High performance compressor, electronic temperature regulation, forced air ventilation
Material (cabinet and door)	HDPE (high-density polyethylene)
Colours	grey, NATO green
External dimensions (WxHxD)	565 x 840 x 950 mm
Interior dimensions (WxHxD)	430 x 500 x 605 mm
Weight	42 kg
Quality features	Robust construction, electronically regulated internal temperature, temperature deviation alarm, battery operated acoustic alarm in the event of power failure, various configurations possible, 4 wheels, 2 front wheels with brakes, removable silicone gasket, DIN A5 document holder, 12/24 volts DC connection plug, compatible with Euronorme 400 x 600 mm dimensions

Product	Ref. No.	Minimum order quantity
Dometic R 120, grey	9105500228	1 units
Dometic R 120, NATO green	9105500227	5 units
Optional accessories		
Rack for Gastronorm containers (GN)	9105500482*	
R 120 rack system with two Stainless Steel separation shelves	9105500484	

* 2 units required

Dometic RF 400 Basic

Mobile compressor powered refrigerator and freezer




Gross capacity	370 litres
Voltage	230 V AC (dual AC/DC on request)
Nominal power	180 watts (300 watts during the defrost cycle)
Temperature range	Interior temperature adjustable between +12°C and -20°C
Insulation	Polyurethane foam
System	Compressor, electronic temperature regulation, forced air ventilation
Material (cabinet and door)	HDPE (high-density polyethylene)
Colours	grey, NATO green
External dimensions (WxHxD)	790 x 1624 x 965 mm
Interior dimensions (WxHxD)	590 x 874 x 715 mm
Weight	128 kg
Quality features	Robust construction, electronically regulated internal temperature, temperature deviation alarm, battery operated acoustic alarm in the event of power failure, automatic defrosting, all wheels with brakes, integrated handles for ease of use, removable double gasket, 270° door opening, lockable door, fully replaceable cooling system. Dual 12 volts DC / 230 volts AC or 24 volts DC / 230 volts AC available on request.


Product	Ref. No.	Minimum order quantity
Dometic RF 400 Basic 230 V, grey	9105500507	1 unit
Dometic RF 400 Basic 24 V DC & 230 V AC, grey	9105500508	1 (with lead time)
Dometic RF 400 Basic 12 V DC & 230 V AC, grey	9105500509	1 (with lead time)
All RF-400 versions in NATO green	on request	5 units
Optional accessories		
Support rack system for separation shelves (Stainless steel)	9105500501 *	
Stainless steel separation shelf (532 x 675 mm) with fixation profiles	9105500504**	
Budget rack system for separation shelves	9105500527 ***	
Sine wave inverter, MSI 912, 12 volts, 900 watts	9102600111	
Sine wave inverter, MSI 924, 24 volts, 900 watts	9102600112	

* Supplied in kit, to be assembled ** Requires support rack system 9105500502 or 9105500527

*** Supplied in kit, to be mounted inside refrigerator

4.25**Dometic RF 650 Basic**

Mobile compressor powered refrigerator and freezer




Gross capacity	612 litres
Voltage	230 V AC (dual AC/DC on request)
Nominal power	180 watts (300 watts during the defrost cycle)
Temperature range	Interior temperature adjustable between +12°C and -20°C
Insulation	Polyurethane foam
System	Compressor, electronic temperature regulation, forced air ventilation
Material (cabinet and door)	HDPE (high-density polyethylene)
Colours	grey, NATO green
External dimensions (WxHxD)	880 x 1900 x 1090 mm
Interior dimensions (WxHxD)	660 x 1130 x 820 mm
Weight	158 kg
Quality features	Robust construction, electronically regulated internal temperature, temperature deviation alarm, battery operated acoustic alarm in the event of power failure, automatic defrosting, compatible with Euronorme containers 400 x 600 mm, all wheels with brakes, integrated handles for ease of use, removable double gasket, 270° door opening, lockable door, fully replaceable cooling system, dual 12 volts DC / 230 volts AC or 24 volts DC / 230 volts AC available on request

Product	Ref. No.	Minimum order quantity
Dometic RF 650 Basic 230 V, grey	9105500510	1 unit
Dometic RF 650 Basic 24 V DC & 230 V AC, grey	9105500511	1 (with lead time)
Dometic RF 650 Basic 230 V, grey	9105500512	1 (with lead time)
All RF 650 versions in NATO green	on request	5 units
Optional accessories		
Support rack system for separation shelves (Stainless steel)	9105500502 *	
Stainless steel separation shelf (600 x 790 mm) with fixation profiles	9105500505**	
Budget rack system for separation shelves	9105500527 ***	
Sine wave inverter, MSI 912, 12 volts, 900 watts	9102600111	
Sine wave inverter, MSI 924, 24 volts, 900 watts	9102600112	

Dometic RF 1000 Basic


Mobile compressor powered refrigerator and freezer



Gross capacity	920 litres
Voltage	230 V AC (dual AC/DC on request)
Nominal power	180 watts (300 watts during the defrost cycle)
Temperature range	Interior temperature adjustable between +12°C and -20°C
Insulation	Polyurethane foam
System	Compressor, electronic temperature regulation, forced air ventilation
Material (cabinet and door)	HDPE (high-density polyethylene)
Colours	grey, NATO green
External dimensions (WxHxD)	1030 x 1900 x 1275 mm
Interior dimensions (WxHxD)	810 x 1130 x 1005 mm
Weight	181 kg
Quality features	Robust construction, electronically regulated internal temperature, temperature deviation alarm, battery operated acoustic alarm in the event of power failure, automatic defrosting, all wheels with brakes, integrated handles for ease of use, removable double gasket, 270° door opening, lockable door, fully replaceable cooling system. Dual 12 volts DC / 230 volts AC or 24 volts DC / 230 volts AC available on request.

Product	Ref. No.	Minimum order quantity
Dometic RF 1000 Basic, grey	9105500513	1 unit
Dometic RF-1000 Basic 24 V DC & 230 V AC, grey	9105500514	1 (with lead time)
Dometic RF-1000 Basic 12 V DC & 230 V AC, grey	9105500515	1 (with lead time)
All RF-1000 versions in NATO green	on request	5 units
Optional accessories		
Support rack system for separation shelves (Stainless steel)	9105500503 *	
Stainless steel separation shelf (758 x 976 mm) with fixation profiles	9105500506**	
Budget rack system for separation shelves	9105500527 ***	
Sine wave inverter, MSI 912, 12 volts, 900 watts	9102600111	
Sine wave inverter, MSI 924, 24 volts, 900 watts	9102600112	

* Supplied in kit, to be assembled ** Requires support rack system 9105500502 (for RF-650) or 9105500503 (for RF-1000) or budget rack system 9105500527 (for all RF models) *** Supplied in kit, to be mounted inside refrigerator

4.25

Specifically developed to maintain the cold chain in professional applications

Double function as both refrigerator and freezer

Automatic defrosting

WAECO CoolFreeze 850VAN

The low cost alternative to van conversion



A perfectly equipped refrigerated vehicle can be yours without lifting a tool with the WAECO CoolFreeze 850VAN compressor cooling container. The spacious 850 litre cooler is simply secured to the cargo floor with straps and hooks*. The cooler can be removed cleanly at any time.

Energy for cooling comes from the 12 volt vehicle battery, a 230 volt mains supply or the rechargeable 12 volt gel battery integrated within the cooler*.

The WAECO CoolFreeze 850VAN comes in three different models: the affordable basic version (CoolFreeze 850VAN BU), the fully equipped cooling container (CoolFreeze 850VAN) or with an integrated heating function to ensure the transport temperature is maintained even at low outside temperatures (CoolFreeze 850VAN HF).

Up to 16 hours of independent power supply

If no power source is available when in use, the temperature set is maintained for up to 8 hours using the 12 volt gel battery integrated as standard. With a second battery (optional accessory) this period can be doubled to 16 hours. A battery charger is included in the scope of delivery*.



* Only for CoolFreeze 850VAN and 850VAN HF.

WAECO CoolFreeze 850VAN

Compressor cooling container for vans

	CF 850VAN BU	CF 850VAN	850VAN HF
Reference. No.	9105500516	9105500500	9105500492
Gross capacity (l, approx)	850 litres	850 litres	850 litres
Voltage	12 volts DC 220 – 240 volts AC	12 volts DC 220 – 240 volts AC	12 volts DC 220 – 240 volts AC
Temperature range (approx.)	0°C to +12°C  	0°C to +12°C  	0°C to +30°C Heating mode up to 40°C above ambient temperature   
Dimensions (W x H x D)		1100 x 1000 x 1400 mm	
Weight	128 kg	160 kg	160 kg



Inside the three models


	CoolFreeze 850VAN BU	CoolFreeze 850VAN	CoolFreeze 850VAN HF
Digital temperature readout	•	•	•
Visual and acoustic alarm	•	•	•
Dual magnetic seal	•	•	•
External interface for alarm function	–	•	•
Interior opening possible	•	•	•
Integrated 12 volt gel battery	–	•	•
Charger for gel battery	–	•	•
Heating function	–	–	•
No frost air circulation cooling system	•	•	•
Stainless steel grill rack	–	•	•
Lashing strap set	–	•	•
Collection container for condensation	–	•	•
Fastening rail	–	•	•
Document holder	–	•	•
Multi LED	–	•	•

Accessories

Stainless steel grill rack, large	9105500414	9105500414	9105500414
Stainless steel grill rack, small, top	9105500415	9105500415	9105500415
Extra battery set	–	9105500420	9105500420
Universal connection set 12 volt	9105500413	9105500413	9105500413
Fastening rail	9105500518	–	–
Strap set	9105500517	–	–

WAECO CoolFreeze 850VAN BU

Compressor cooling container for vans, basic version




Gross capacity	850 litres
Voltage	12 volts DC, 220 – 240 volts AC
Average power consumption	max. 150 watts at 12 volts DC max 220 watts at 220 – 240 volts AC
Temperature range	0°C to +12°C
Insulation	Polyurethane foam
System	Fully hermetic DC compressor and no frost air circulation system
Material	HDPE (high-density polyethylene) / polyurethane
Colours	grey, NATO green
Dimensions (W x H x D)	1100 x 1000 x 1400 mm
Weight	128 kg
Scope of delivery	Cable set, operating manual
Quality features	Low energy consumption through optimised insulation, digital temperature readout with accurate set point adjustment, visual and acoustic temperature alarm, dual magnetic seal, transport proof closing system (can also be opened from inside)
Compliance	TÜV/GS, E1, ATP, HACCP compliant, 74/408/EEC

Product	Ref. No.	Minimum order quantity
CoolFreeze 850VAN BU, grey	9105500516	1 unit
CoolFreeze 850VAN BU, NATO green	on request	5 units

4.25**WAECO CoolFreeze 850VAN**

Compressor cooling container for vans




Gross capacity	850 litres
Voltage	12 volts DC, 220 – 240 volts AC
Average power consumption	max. 150 watts at 12 volts DC max. 220 watts at 220 – 240 volts AC (during battery charging 360 watts)
Temperature range	0°C to +12°C
Insulation	Polyurethane foam
System	Fully hermetic DC compressor with mains adapter, battery charger for integrated gel battery and no frost air circulation system
Material	HDPE (high-density polyethylene) / polyurethane
Colours	grey, NATO green
Dimensions (W x H x D)	1100 x 1000 x 1400 mm
Weight	160 kg
Scope of delivery	Cable set, integrated gel battery, 1 Stainless Steel grill rack large, lashing strap set, operating manual, external interface for alarm function, collection container for condensation, DIN A5 document holder
Quality features	Independent operation for up to 8 hours with battery integrated as standard, or up to 16 hours with second battery available as optional extra, air circulation system provides optimum temperature regulation, low energy consumption through optimised insulation, digital temperature readout with accurate set point adjustment, separate control and display sensor, visual temperature alarm, external interface for alarm function, dual magnetic seal, high-performance multi-LED interior light, lashing eyes on the sides of the unit, fast and secure fastening with lashing strap set supplied as standard, transport proof closing system (can also be opened from inside), simultaneous cargo cooling and internal battery charging
Compliance	TÜV/GS, E1, ATP, HACCP compliant, 74/408/EEC, crash tested according to ECE R80

Product	Ref. No.	Minimum order quantity
CoolFreeze 850VAN, grey	9105500500	1 unit
CoolFreeze 850VAN, NATO green	on request	5 units


4.25**WAECO CoolFreeze 850VAN HF**

Compressor cooling container for vans, with heating function



Gross capacity	850 litres
Voltage	12 volts DC, 220 – 240 volts AC
Average power consumption	max. 170 watts at 12 volts DC max. 220 watts at 220 – 240 volts AC (during battery charging 360 watts)
Temperature range	0°C to +30°C, heating mode: up to 40°C above ambient temperature
Insulation	Polyurethane foam
System	Fully hermetic DC compressor with mains adapter, battery charger for integrated gel battery and no frost air circulation system
Material	HDPE (high-density polyethylene) / polyurethane
Colours	grey, NATO green
Dimensions (W x H x D)	1100 x 1000 x 1400 mm
Weight	160 kg
Scope of delivery	Cable set, integrated gel battery, 1 Stainless Steel grill rack large, lashing strap set, operating manual, external interface for alarm function, collection container for condensation, DIN A5 document holder
Quality features	Switches automatically to heating function at low outside temperatures, no frost air circulation cooling system for optimal temperature regulation, independent operation for up to 8 hours with battery integrated as standard, or up to 16 hours with second battery available as optional extra, low energy consumption through optimised insulation, digital temperature readout with accurate set point adjustment, separate control and display sensor, visual and acoustic temperature alarm, external interface for alarm function, dual magnetic seal, high-performance multi-LED interior light, lashing eyes on the sides of the unit, fast and secure fastening with lashing strap set supplied as standard, transport proof closing system (can also be opened from inside), simultaneous cargo cooling and internal battery charging, door contact switches off fans when door is opened.
Compliance	TÜV/GS, E1, ATP, HACCP compliant, 74/408/EEC, crash tested according to ECE R80

Product	Ref. No.	Minimum order quantity
CoolFreeze 850VAN HF, grey	9105500492	1 unit
CoolFreeze 850VAN HF, NATO green	on request	5 units

4.25

Fits the following types of vans with rear right-hand-side door; other vehicles on request.

Vehicle	Width, top	Width, bottom	Height	Depth
FORD Transit connect	1190	1220	1090	1460
FIAT Doblo	1160	1200	1180	1420
RENAULT Kangoo	1140	1220	1100	1450
CITROËN Berlingo	1120	1220	1100	1500
PEUGEOT Partner / Tepee	1400	1230	1070	1600

Simply the best

Insulated beverage dispensers

Dometic insulated beverage dispensers are known as the best of their kind available in the market today. They keep beverages hot or cold for at least six hours. Gone are the days when you had to drink hot coffee or tea with a “plastic” taste and smell. The non-removable Stainless Steel inner liner ensures perfect quality and hygiene for undiminished enjoyment.

Featuring a rugged, mono-block construction, Dometic beverage dispensers are made to last, yet light to carry and easy to handle. The well proven GB 3 model has a capacity of 11 litres, its taller brother GB 6T holds 23.5 litres. Both units have the same footprint, so they can be easily stacked on top of each other.

Excellent insulation



Dometic GB 3

Superior insulated container for transport and dispensing of cold and hot beverages, with Stainless steel inner liner

4.25



Gross capacity	11 litres
Maximum temperature of beverage	+100°C
Autonomy*	> 6 h
Material	Outer container and lid: HDPE Inner container and inner lid: Stainless Steel
Insulation	Polyurethane foam
Colour	NATO green
Dimensions (W x H x D)	230 x 483 x 486 mm
Weight	6.5 kg
Quality features	Mono-block construction of outer container and lid, integrated carrying handle, stackable, 2 reinforced Stainless Steel closing latches, removable food grade silicone gasket, double Stainless Steel pressure valve, fully dismountable food grade spigot, Stainless Steel inner liner and inner lid for perfect hygiene

* Autonomy means the period of time after which the beverages are still safe to be consumed in terms of temperature and taste.

Product	Ref. No.	Minimum order quantity
Dometic GB 3, NATO green	9105500132	1 unit



Keeps beverages warm or cold for at least 6 hours

Maximum beverage temperature +100°C

Excellent insulation

Perfect hygiene

Does not alter the taste of the beverage

Dometic GB 6T

Superior insulated container for transport and dispensing of cold and hot beverages, with Stainless steel inner liner

4.25



Gross capacity	23.5 litres
Maximum temperature of beverage	+100°C
Autonomy*	> 6 h
Material	Outer container and lid: HDPE Inner container and inner lid: Stainless Steel
Insulation	Polyurethane foam
Colours	grey, NATO green
Dimensions (W x H x D)	230 x 745 x 485 mm
Weight	10.3 kg
Quality features	Mono-block construction of outer container and lid, integrated carrying handle and two additional foldable handles, stackable, 2 reinforced Stainless Steel closing latches removable food grade silicone gasket, double Stainless Steel pressure valve, fully dismountable food grade spigot, Stainless Steel inner liner and inner lid for perfect hygiene

* Autonomy means the period of time after which the beverages are still safe to be consumed in terms of temperature and taste.

Product	Ref. No.	Minimum order quantity
Dometic GB 6T, grey	9105500495	1 unit
Dometic GB 6T, NATO green	9105500167	10 units



Keeps beverages warm or cold for at least 6 hours

Maximum beverage temperature +100°C

Excellent insulation

Perfect hygiene

Does not alter the taste of the beverage



Insulated food container

The lightweight insulated meal carrier

Dometic GB 4 is a lightweight 17-litre insulated container that can be used to transport cold or warm meals for small groups to the field of operations. Small serving utensils can be attached to the lid by a silicon ring. A transparent separation cover keeps the utensils clean from spillage during transport and handling operations. Alternatively the GB 4 can be used to transport up to 6 x 1.5-litre bottles to distribute chilled water. The ergonomic design of the unit reduces operator fatigue while carrying the container over long distances. A practical shoulder belt is available as optional extra.

Dometic GB 4

Insulated food container for soup, food and water bottles



Gross capacity	17 litres (9 litres with GN1/3 pans)
Maximum temperature	+85°C
Autonomy*	> 4 h
Material	Container and lid: HDPE Inner container and inner lid: food-grade HDPE
Insulation	Polyurethane foam
Colours	grey, NATO green
Dimensions (W x H x D)	421 x 275 x 420 mm
Weight	5 kg
Quality features	Mono-block construction of container and lid, integrated carrying handle, stackable, 2 reinforced Stainless Steel closing latches (powder coated), removable food-grade silicone gasket, transparent separation cover with gasket, silicone ring to hold utensils in place

* Autonomy means the period of time after which meal is still safe to be consumed in terms of temperature and taste.

Product	Ref. No.	Minimum order quantity
Dometic GB 4, NATO green	9105500193	1 unit
Dometic GB 4, grey	on request	10 units
Optional accessories		
• Shoulder belt • GN 1/3 150 mm (5.3 litres) + GN1/3 100 mm (3.5 litres) Polypropylene pans & lids		



GB 4 food containers are fully stackable. The inner and outer layers are made of a food-grade polyethylene material to guarantee safe use when food is poured directly into the container. Optionally, the container can be fitted with 2 GN 1/3 pans (1 x 150 mm and 1 x 100 mm) to separate different meal components. In this configuration the maximum capacity is reduced to approx. 9 litres.

4.25

Efficient meal distribution

With or without GN containers


Dometic offers a wide choice of robust insulated food containers for efficient meal distribution in field operations. Perfectly insulated on the outside they keep food warm or cold for at least six hours. The products on the following

pages are ready for use with Gastronorm containers. GN lids with silicone gasket and safety valve prevent spillage during transport (see page 22).

Dometic GB 7

Superior insulated container for transport and dispensing of prepared meals in Gastronorm containers

4.25



Gross capacity	34 litres (empty) with 1 x GN 1/1 200 mm: 26 litres with 2 x GN 1/2 200 mm: 22,6 litres with 3 x GN 1/3 200 mm: 21 litres
Maximum temperature	+85°C
Autonomy*	> 6 h
Material	Outer container and lid: HDPE Optional GN containers and lids: Stainless Steel
Insulation	Polyurethane foam
Colours	grey, NATO green
Dimensions (W x H x D)	710 x 340 x 424 mm
Weight	10.5 kg
Quality features	Superior insulation performance, compact, robust construction with integrated carrying handles for improved handling, stackable, replaceable food-grade silicone gasket, 2 large Stainless Steel closing latches, designed for Gastronorm containers up to 200 mm in depth (1 x GN 1/1, 2 x GN 1/2 or 3 x GN 1/3)

* Autonomy means the period of time after which meal is still safe to be consumed in terms of temperature and taste

Product	Ref. No.	Minimum order quantity
Dometic GB 7-B, NATO green	9105500165	1 unit
Dometic GB 7-B, grey	9105500216	10 units
Dometic GB 7 with GN 1/1, NATO green	9105500135	10 units *
Dometic GB 7 with GN 1/2, NATO green	9105500160	10 units *
Dometic GB 7 with GN 1/3, NATO green	9105500203	10 units *

Optional accessories		
Gastronorm containers (supplied separately or integrated *)		
• GN 1/1 200 mm (Stainless Steel) • GN 1/2 200 mm (Stainless Steel) • GN 1/3 200 mm (Stainless Steel) • GN lids with vulcanised silicone gasket and Dometic safe vent system		
* integrated by MOQ of 10 units of GB 7		



Keeps food warm or cold for at least 6 hours


Excellent insulation

Suitable for use with Gastronorm containers up to 200 mm in depth



Dometic GB 7 Compact

Superior insulated container for transport and dispensing of prepared meals in Gastronorm containers



Gross capacity (empty)
with 1 x GN 1/1 200 mm 31,5 litres
with 2 x GN 1/2 200 mm 26 litres
with 3 x GN 1/3 200 mm 22,6 litres
21 litres

Maximum temperature +85°C

Autonomy* > 6 h

Material Outer container and lid: HDPE
Optional GN containers and lids: Stainless Steel

Insulation Polyurethane foam

Colours grey, NATO green

Dimensions (W x H x D) 640 x 330 x 434 mm

Weight 8.5 kg (without GN containers)

Quality features Superior insulation performance, compact, robust construction with integrated grips for improved handling, stackable, replaceable food-grade silicone gasket, 2 large closing latches, designed for Gastronorm containers up to 200 mm in depth (1 x GN 1/1, 2 x GN 1/2 or 3 x GN 1/3)

* Autonomy means the period of time after which the meal is still safe to be consumed in terms of temperature and taste.

Product	Ref. No.	Minimum order quantity
Dometic GB 7 Compact B, grey	9105500217	1 unit
Dometic GB 7 Compact B, NATO green	9105500184	10 units
Dometic GB 7 Compact with GN 1/1, NATO green	9105500185	10 units *
Dometic GB 7 Compact with GN 1/2, NATO green	9105500209	10 units *
Dometic GB 7 Compact with GN 1/3, NATO green	9105500210	10 units *

Optional accessories
Gastronorm containers (supplied separately or integrated *)

- GN 1/1 200 mm (Stainless Steel)
- GN 1/2 200 mm (Stainless Steel)
- GN 1/3 200 mm (Stainless Steel)
- GN lids with vulcanised silicone gasket and Dometic safe vent system

* integrated by MOQ of 10 units of GB 7 Compact



Keeps food warm or cold for at least 6 hours

Suitable for use with Gastronorm containers up to 200 mm in depth

Compact design

Excellent insulation

GN lids with built-in safety

Dometic offers high quality Stainless Steel GN lids featuring a vulcanised (non-separable) silicone gasket to prevent spillage during handling and transport, a large handle and Dometic’s exclusive safety vent system. The vent hole is elevated and covered by an “umbrella” to reduce spillage and minimise the risks of external contamination, which cannot be avoided with traditional lids. The non-separable gasket makes sure that no food particles will lodge between the gasket and lid to guarantee impeccable hygiene.



Dometic GB 18

Superior insulated container for transport of prepared meals in Gastronorm containers



Gross capacity 63 litres

Maximum temperature +85°C

Autonomy* > 6 h

Material Cabinet and door: HDPE
Optional GN containers and lids: Stainless Steel

Insulation Polyurethane foam

Colour NATO green

Dimensions (W x H x D) 435 x 665 x 500 mm

Weight 13.4 kg

Loading configurations 4 GN 1/1 65 mm
3 GN 1/1 100 mm
2 GN 1/1 150 mm
1 GN 1/1 200 mm + 1 GN1/1 100 mm

Quality features Superior insulation performance, compact, robust construction, stackable, replaceable food-grade silicone gasket, integrated carrying handles, can accommodate Gastronorme pans up to 200 mm deep, removable gasket, large and robust door fastener

* Autonomy means the period of time after which the meal is still safe to be consumed in terms of temperature and taste.

Product	Ref. No.	Minimum order quantity
Dometic GB 18, NATO green	9105500139	10 units

Optional accessories (recommended)
GN 1/1 Stainless Steel container 100 mm deep
GN 1/1 lid with vulcanised silicone gasket and Dometic safe vent system
Stainless steel inner support for GN




Keeps food warm or cold for at least 6 hours

Suitable for use with Gastronorm containers

Net capacity of 42 litres with 3 x GN 1/1 100 mm

Dometic GB 24

Superior insulated container for transport of prepared meals in Gastronorm containers



Gross capacity 100 litres

Autonomy* > 6 h

Insulation Polyurethane

Material Cabinet and door: HDPE
Optional GN containers and lids: Stainless Steel

Insulation Polyurethane foam

Colours grey, NATO green

Dimensions (W x H x D) 520 x 705 x 700 mm
520 x 840 – 940 x 700 mm (with feet)
520 x 835 x 700 mm (with wheels)

Weight 19 kg

Loading configurations 4 GN 1/1 100 mm
2 GN 1/1 150 mm + 1 GN 1/1 100 mm
2 GN 1/1 200 mm

Quality features 2 cabinets can be stacked on top of each other (without wheels or feet), removable food-grade silicone gasket, door opening up to 270°, DIN A5 document holder, robust construction, large and robust door fastener

* Autonomy means the period of time after which the meal is still safe to be consumed in terms of temperature and taste.

Product	Ref. No.	Minimum order quantity
Dometic GB 24, grey	9105500305	1 unit
Dometic GB 24, NATO green	9105500304	10 units

Optional accessories (recommended)
Set of 2 rotating wheels with brake & 2 fixed castors 9105500470*
Adjustable Stainless Steel feet (4 pieces) 9105500469*
* supplied in kit, to be mounted
GN 1/1 Stainless Steel container 100mm deep 296.1405.20
GN 1/1 lid with vulcanised silicone gasket and Dometic safe vent system 296.1407.20



Keeps food warm or cold for at least 6 hours

Suitable for use with Gastronorm containers

Net capacity of 52 litres with 4 x GN 1/1 100 mm

Thermoelectric cooler and warmer cabinet

Designed for extended meals transport and storage


Ideal for transport on long distances: Dometic GB 24 PLUS keeps cold or warm food at the right temperature for at least twelve hours. The thermoelectric cooler and warmer cabinet was specifically designed for use with Gastronorm (GN) pans. The integrated supports allow different loading configurations. The complete door opening facilitates loading and unloading.

For enhanced mobility the cooler and warmer cabinet can be fitted with wheels (optional accessories). If required, two cabinets (without wheels or feet) can be stacked on top of each other. Dometic GB 24 PLUS can be operated from a 12-volt vehicle battery or from the 110 – 230-volt mains.

Dometic GB 24 PLUS

Unique thermoelectric cooler and warmer cabinet for transport of prepared meals in Gastronorm containers

4.25



Gross capacity	92 litres
Voltage	12 volts DC, 110 – 230 volts AC
Nominal power	66 watts at 12 volts DC, 100 watts at 110 – 230 volts AC
Temperature range	Maintains temperature of cold meals under critical +7°C for extended period of time, maintains temperature of warm meals above critical +65°C for an extended period of time
Insulation	Polyurethane foam
System	Robust insulated cabinet with active thermoelectric system for superior performance
Material (cabinet and door)	HDPE (high-density polyethylene) Optional GN containers and lids: Stainless Steel
Colours	grey, NATO green
External dimensions (W x H x D)	520 x 705 x 785 mm 520 x 840 – 940 x 785 mm (with feet) 520 x 835 x 785 mm (with wheels)
Weight	26 kg
Quality features	Keeps food warm or cold for extended catering activities, simple switch-over between cooling and warming function, digital readout of the interior temperature, 2 cabinets can be stacked on top of each other (without wheels or feet), removable food-grade silicone gasket, door opening up to 270°, DIN A5 document holder, robust construction, cable management system, connection for 12 volts DC operation, large and robust door fastener

Product	Ref. No.	Minimum order quantity
Dometic GB 24 PLUS, grey	9105500308	1 unit
Dometic GB 24 PLUS, NATO green	9105500307	10 units
Optional accessories (recommended)		
Set of 2 rotating wheels with brake & 2 fixed castors	9105500470*	
Adjustable Stainless Steel feet (4 pieces)		
* supplied in kit, to be mounted	9105500469*	
GN 1/1 Stainless Steel container 100 mm deep	296.1405.20	
GN 1/1 lid with vulcanised silicone gasket and Dometic safe vent system	296.1407.20	



12/110 – 230 volts



Up to +80°C
in heating mode:

Keeps food warm
or cold for at least
12 hours

Suitable for
Gastronorm
containers

7 GN levels
(each spaced 57 mm
apart)



Dometic GB 10

Superior insulated container with integrated 24-litre Stainless Steel cooking pot

4.25



Gross capacity	24 litres (net)
Maximum temperature	+90°C
Autonomy*	> 10 h
Material	Outer container and lid: HDPE Cooking pot and lid: 1.5 mm Stainless Steel
Insulation	Polyurethane foam
Colours	grey, NATO green
Dimensions (W x H x D)	485 x 590 x 485 mm
Weight	20 kg (fully loaded: < 50 kg)
Quality features	Superior insulation performance, robust construction with 2 fold-out carrying handles, 4 Stainless Steel closing latches, stackable, removable food-grade silicone gasket, 24-litre Stainless Steel cooking pot with 3 Stainless Steel closing latches and 2 handles with heat protection, Stainless Steel lid with safety valve and removable food-grade silicone gasket, heat-resistant cooking pot support

* Autonomy means the period of time after which the food or beverage is still safe to be consumed in terms of temperature and taste.

Product	Ref. No.	Minimum order quantity
Dometic GB 10, grey	9105500494	1 unit
Dometic GB 10, NATO green	9105500306	10 units



Keeps food warm or
cold for at least 10 hours

With 24-litre cooking
pot – ideal for soups

Can be used to prepare or
warm up meals

Excellent insulation

Perfect hygiene

Maintains the original taste
of the food



Heavy-duty insulating boxes

Well thought-out in every detail

Hot outside temperatures, shock and impact during transport, frequent opening and closing, packing and stacking – WAECO Cool-Ice boxes take it all with ease. Solid workmanship and many handy details qualify them for the rigours of field operations. Equipped with ice, ice cubes or freezer packs they keep foodstuffs fresh for a longer time.

The highly effective insulation, combined with an intelligent labyrinth sealing, takes care of that. The range includes seven sizes – from 13 to 111 litres. All boxes are convenient to transport and easy to clean. The larger models (WCI-42 up) are fitted with a water drain on the side.



WCI-13 and WCI-22 with shoulder strap.



Sturdy, ergonomic polyethylene handles (WCI-42 and larger) for easy transport by one or two persons.



Extremely robust tie-down hooks (WCI-42 and larger) – integrated in the anchorage of the handles.

Contents, specifications and availability are subject to change.

WAECO Cool-Ice passive coolboxes

Cold storage for highest demands

- Extremely low heat absorption
- Highly effective polyurethane foam insulation combined with a very efficient labyrinth seal
- High-quality, UV-resistant plastic material
- Very sturdy construction, rotation-moulded for a “seamless” finish
- Integrated hinges with Stainless Steel rods
- Hard-wearing ABS closures with Stainless Steel bolts
- Integrated polyethylene feet for better stability and slip resistance
- Sturdy, ergonomically shaped handles (WCI-42 up)
- Robust tie-down straps to secure the boxes in place (WCI-42 up)
- Convenient shoulder strap (WCI-13/-22)
- Practical (melted ice) drain (WCI-42 up)
- Food safe and easy to clean
- Optimised ratio of volume and weight
- Available in seven sizes: 13, 22, 41, 55, 68, 86, 111 litres



WAECO Cool-Ice Product	Ref. No.	Capacity (litres)	Dimensions (L x H x D incl. handles)	Weight (kg)
WAECO Cool-Ice WCI-13	9108400056	13	388 x 305 x 245 mm	2.8
WAECO Cool-Ice WCI-22	9108400060	22	388 x 318 x 365 mm	4.2
WAECO Cool-Ice WCI-42	9108400062	41	635 x 337 x 390 mm	7.5
WAECO Cool-Ice WCI-55	9108400067	55	565 x 420 x 485 mm	9.3
WAECO Cool-Ice WCI-70	9108400071	68	685 x 420 x 485 mm	10.4
WAECO Cool-Ice WCI-85	9108400073	86	835 x 435 x 495 mm	13.1
WAECO Cool-Ice WCI-85W with wheels	9108400215	86	835 x 435 x 495 mm	13.8
WAECO Cool-Ice WCI-110	9108400054	111	1050 x 440 x 510 mm	15.7

Pre-chill then pack them!

Fully integrated hinges with Stainless Steel rods for more stability and smooth contours.

Sturdy ABS closures with Stainless Steel bolts. Easy operation one handed.

The labyrinth sealing prevents warm air from entering the interior of the box.



Insulated Transport Container		Page
Dometic SC-400	–	7
Dometic SC-650	–	7
Dometic SC-1000	–	7
Dometic GB 35 U	–	9
Dometic GB 35 C	–	9
Field refrigeration		
Dometic R 120	12/24 V DC, 110 – 230 V AC	12
Dometic RF 400 Basic	230 V AC	12
Dometic RF 650 Basic	230 V AC	13
Dometic RF 1000 Basic	230 V AC	13
Field refrigeration /Transport		
WAECO CoolFreeze 850VAN BU	12 V DC, 220 – 240 V AC	16
WAECO CoolFreeze 850VAN	12 V DC, 220 – 240 V AC	16
WAECO CoolFreeze 850VAN HF	12 V DC, 220 – 240 V AC	17
Meal Distribution		
Dometic GB 3	–	19
Dometic GB 6T	–	19
Dometic GB 4	–	20
Dometic GB 7 L	–	21
Dometic GB 7 Compact L	–	22
Dometic GB 18	–	23
Dometic GB 24	–	23
Dometic GB 24 PLUS	12 volts DC, 110 – 230 volts AC	24
Dometic GB 10	–	25
Passive insulating boxes		
WAECO Cool-Ice WCI-13	–	27
WAECO Cool-Ice WCI-22	–	27
WAECO Cool-Ice WCI-42	–	27
WAECO Cool-Ice WCI-55	–	27
WAECO Cool-Ice WCI-70	–	27
WAECO Cool-Ice WCI-85	–	27
WAECO Cool-Ice WCI-85W with wheels	–	27
WAECO Cool-Ice WCI-110	–	27



Fax order form

Simply copy the form – fill it in – and fax it back to us.
You'll find the fax number of your local sales office on the back page of this catalogue.

Sender / stamp

Fancy more...? More products. More catalogues.



☐ "On the road again"
The classic Dometic WAECO accessory range for trucks and truckers. Air conditioning, cooling systems and kitchen, reversing video camera, comfort solutions and electronics.



☐ WAECO Frigo
Cooling systems for chilled and frozen goods vehicles



☐ „Professional cooling 2014/2015“
The special range for temperature controlled transport

You can order our catalogues online at www.waeco.com

What else can we do for you?
The friendly Dometic WAECO team are always glad to help.

If you are interested in our products, but still have some questions you'd like to ask or perhaps you need advice on a product you've just bought, then please get in touch! Fun and convenience for mobile people is our philosophy. Buying one of our products is just the start. Our aim is for you to enjoy a whole range of mobile technology in the future.
You'd like to find out more? Just order the comprehensive catalogues.

Your contact to Dometic
www.dometic.lu
military@dometic.com

Always a good link: the Dometic WAECO website. That's where you will find the complete product range. You'll get a clear view of the products along with detailed information. Plus interesting news about our company and the latest special offers and of course you can order all our catalogues online.



The **Dometic GROUP** is a customer-orientated, worldwide leading manufacturer of innovative comfort products for the RV, truck, car and boat markets. The corporate group serves industry clients, as well as the aftermarket with a complete range encompassing air conditioners, cooling appliances, awnings, lighting systems, cookers, deluxe toilets and hygiene equipment, mobile power supply products, comfort and safety solutions, doors, windows and many other products – all designed to bring comfort and convenience to people on the move.

Furthermore, the Dometic GROUP supplies workshop equipment required for the maintenance and repair of vehicle air conditioners.

The Dometic GROUP is the current market leader for special refrigerators for hotels, offices and medical facilities as well as customised wine refrigerators.

Dometic GROUP products are sold in almost 100 countries around the globe, most of which are made in proprietary production plants.



COOLING TECHNOLOGY FOR TEMPERATURE-CONTROLLED TRANSPORT – ACCURATE AND PRACTICAL



LUXEMBOURG
Dometic S.à.r.l.
 op der Hei
 L-9809 Hosingen
 Tel +352 920 731-303
 Fax +352 920 731-603
 Mail military@dometic.com
 Net www.dometic.lu

AUSTRALIA

Dometic Australia Pty. Ltd.

1 John Duncan Court
 Varsity Lakes QLD 4227
 Tel +61 7 55076000
 Fax +61 7 55076001
 Mail sales@dometic-waeco.com.au

AUSTRIA

Dometic Austria GmbH

Neudorferstrasse 108
 A-2353 Guntramsdorf
 Tel +43 2236 908070
 Fax +43 2236 90807060
 Mail info@waeco.at

BENELUX

Dometic Benelux B.V.

Ecustraet 3
 NL-4879 NP Etten-Leur
 Tel +31 76 5029000
 Fax +31 76 5029019
 Mail info@dometic.nl

Dometic Branch Office Belgium

Zinkstraat 13
 B-1500 Halle
 Tel +32 2 3598040
 Fax +32 2 3598050
 Mail info@dometic.be

DENMARK

Dometic Denmark A/S

Nordensvej 15, Taulov
 DK-7000 Fredericia
 Tel +45 75585966
 Fax +45 75586307
 Mail info@dometic.dk

FINLAND

Dometic Finland OY

Mestarin tie 4
 FIN-01730 Vantaa
 Tel +358 20 7413220
 Fax +358 9 7593700
 Mail info@dometic.fi

FRANCE

Dometic France SAS

ZA du Pré de la Dame Jeanne
 B.P. 5
 F-60128 Plailly
 Tel +33 3 44633526
 Fax +33 3 44636516
 Mail retail@dometic.fr

GERMANY

Dometic WAECO International GmbH

Hollefeldstraße 63
 D-48282 Emsdetten
 Tel +49 (0) 2572 879-0
 Fax +49 (0) 2572 879-300
 Mail info@dometic-waeco.de
 Net www.dometic-waeco.de

HUNGARY

DOMETIC PLC. SALES OFFICE

H-1147 Budapest
 Kerékgyártó u. 5.
 Tel +36 1 468 4400
 Fax +36 1 468 4401
 Mail budapest@dometic.hu

ITALY

Dometic Italy S.r.l.

Via Virgilio, 3
 I-47122 Forlì (FC)
 Tel +39 0543 754901
 Fax +39 0543 754982
 Mail info@dometic.it

NORWAY

Dometic Norway AS

Østerøyveien 46
 N-3236 Sandefjord
 Tel +47 33428450
 Fax +47 33428459
 Mail firmapost@dometic.no

POLAND

Dometic Poland Sp. z o.o.

ul. Puławska 435A
 PL-02-801 Warszawa
 Tel +48 22 414 32 00
 Fax +48 22 414 32 01
 Mail info@dometic.pl

PORTUGAL

Dometic S.L.- Sucursal em Portugal

Beloura Business Center
 Rua dos Navegantes, Bloco 3, 1ªA
 2710-297 Sintra
 Tel +351 219 244 173
 Fax +351 219 243 206
 Mail info@dometic.pt

RUSSIA

Dometic RUS LLC

Komsomolskaya square 6 – 1
 RU-107140 Moscow
 Tel +7 495 780 79 39
 Fax +7 495 916 56 53
 Mail info@dometic.ru

SLOVAKIA

Dometic Slovakia Sales Office

Bratislava
 Nádražná 34/A
 900 28 Ivanka pri Dunaji
 Tel +421 2 45 529 680
 Fax +421 2 45 529 680
 Mail bratislava@dometic.com

SOUTH AFRICA

Dometic (Pty) Ltd.

Regional Office
 South Africa & Sub-Saharan Africa
 P.O. Box 2562
 2008 Bedfordview
 Tel +27 11 4504978
 Fax +27 11 4504976
 Mail info@dometic.co.za

SPAIN

Dometic Spain S.L.

Avda. Sierra del Guadarrama, 16
 E-28691 Villanueva de la Cañada
 Madrid
 Tel +34 902 111 042
 Fax +34 900 100 245
 Mail info@dometic.es

SWEDEN

Dometic Scandinavia AB

Gustaf Melins gata 7
 S-421 31 Västra Frölunda
 Tel +46 31 7341100
 Fax +46 31 7341101
 Mail info@dometicgroup.se

SWITZERLAND

Dometic Switzerland AG

Riedackerstrasse 7a
 CH-8153 Rümlang
 Tel +41 44 8187171
 Fax +41 44 8187191
 Mail info@dometic-waeco.ch

UNITED ARAB EMIRATES

Dometic Middle East FZCO

P.O. Box 17860
 S-D 6, Jebel Ali Freezone
 Dubai
 Tel +971 4 883 3858
 Tel +971 4 883 3868
 Mail info@dometic.ae

UNITED KINGDOM

Dometic UK Ltd.

Dometic House, The Brewery,
 Blandford St. Mary
 Dorset DT11 9LS
 Tel +44 844 626 0133
 Fax +44 844 626 0143
 Mail customerservices@dometic.co.uk

Dealer address:

